


**SURFACE  
SERVICE  
STORE**



**SURFACE  
SERVICE  
STORE**



The S3 Store  
209, 2nd Floor, Shilp Satved,  
Opp. Sindhu Bhavan Hall,  
Ahmedabad-380 054.





KIYA

PRO

Super Hylam (p) Limited Are Proud To Introduce Its Brand New Venture Kiyalam Laminates, An Exquisite Range Of Interior Grade Decorative Laminates.kiyalam Brand Is Here To Revolutionize The Indian Market Of Thin Grade Interior Laminates.you Can Admire It Or Despise It But You Simply Can't Ignore It. The Main Idea Behind This Range Is To Make Extraordinary World Class Designs More Affordable, Without Compromising On Its Quality As The Company Is Notable For.

The Range Promises To Breathe New Life Into Your Living Spaces As It Delivers A Range Of Superior And Luxurious Collections Of Elegant Designs That Are Low In Maintenance & Economical. Once You Invest In Kiyalam, It Will Continue To Furbish Your Living Spaces And Never Get Tiring To Look At.each Texture And Decor Have Been Curated With Ample Effort On The Part Of The Markers.textures Are Fine And Timeless And The Decors Bestow A Soothing Ambience, Which At The Same Time Has A Very Futuristic Feel To It.



ABOUT US

# OAK WOOD

A fabulous range of  
captivating designs to amp up your decors



02

4003 OW



03

4004 OW

# OAK WOOD

A stunning array of design  
magnificence for creating charismatic decor ideas



04

4010 OW



05

4008 OW

# OAK WOOD

A niche realm of modern textures  
to give you spaces an exemplary style quotient



06

1104 OW



07

4005 OW

# OAK WOOD

Versatile surfaces to  
fill your ambiance with authenticity and elan



08

4002 OW



09

2103 OW

# HIGH GLOSS

Panache style to give your environment a mesmerizing fervor of plush forms



# HIGH GLOSS

Curate a decor that  
shines bright with designs of modish verve




2104 HG



1104 HG

# HIGH GLOSS

A vibe of vogue and contemporary class with surfaces that look absolutely wow 



# HIGH GLOSS

Bohemian designs to spread  
flamboyance and fabulous charm within your decors



# SUEDE FINISH

Lavish forms of fascinating ease  
that give your aesthetics an edge of excellence



## SUEDE FINISH

Appealing and alluring,  
each design is filled with awe-inspiring artistry



20

4001 SF



21

4002 SF

# SUEDE FINISH

Vivacious and perfect,  
give your ambiance a subtle feel of trending forms



# SUEDE FINISH

Modern and brilliant,  
choose the perfect texture for your space dynamics



1103 SF



2103 SF

# SUEDE FINISH

It's made to inspire and attract, feel the magic instantaneously



# SUEDE FINISH

Nuances of natural chic,  
give your aesthetic ambiance an edge of exuberance



# SUEDE FINISH

Make way for designs of  
individualistic and gorgeous innovation



30

4010 SF



31

4008 SF

# SUEDE FINISH

Premium design elements  
that create awe-inspiring impressions



# SUEDE FINISH

All that's offered is a thoughtful representation of the latest trends




4009 SF



1134 SF

# SUEDE FINISH

Novel forms with  
artistic designs to suit your style



# INDEX

DESIGN NO.	FINISH	PAGE NO.	DESIGN NO.	FINISH	PAGE NO.
1101	SF	32	4002	HG	11
1103	SF	24	4002	SF	21
1104	OW	6	4003	OW	2
1104	HG	13	4003	SF	19
1104	SF	26	4004	OW	3
1126	SF	33	4004	SF	18
1134	SF	35	4005	OW	7
1155	SF	36	4005	SF	23
1181	HG	14	4006	SF	22
1181	SF	28	4007	HG	15
2103	OW	9	4007	SF	29
2103	HG	17	4008	OW	5
2103	SF	25	4008	HG	16
2104	HG	12	4008	SF	31
2104	SF	27	4009	SF	34
4001	HG	10	4010	OW	4
4001	SF	20	4010	SF	30
4002	OW	8	4011	SF	37

## TECHNICAL SPECIFICATIONS

Sl. No.	Performance Characteristic	Unit	Requirement as per IS 2046:1995 VGS	KIYALAM Conforms	
1	Appearance & Surface Defects	Surface free from spots, dirt, hair & edge defects			
2	Dimensional Properties				
	Length	mm	2440 +10, -Nil	Conforms	
	Width	mm	1220 +10, -Nil	Conforms	
	Thickness	mm	Max. variation ± 0.10	Conforms	
	Flatness	Warp, mm	120 max	Conforms	
	Straightness Of Edges	mm/meter straight edge	1.5 mm max	Conforms	
3	Resistance Of Surface Wear	Squareness	mm/meter straight edge	1.5 mm max	Conforms
		Rev.	150 (min)	Conforms	
4	Resistance To Immersion In Boiling Water	% increase by thickness	14.0 max	Conforms	
		% increase by weight	12.0 max	Conforms	
		Appearance	Not worse than Grade-4	Conforms	
5	Resistance To Staining	Group 1 & 2	Not worse than Grade-5	Conforms	
		Group 3 & 4	Not worse than Grade-4	Conforms	
6	Resistance To Dry Heat @ 180°c	Appearance, Prime Gloss	Not worse than Grade-3	Conforms	
		Appearance, Others	Not worse than Grade-4	Conforms	
7	Resistance To Color Change In Xenon Arc Light	Grade	Not worse than 6	Conforms	
8	Dimensional Stability At Deviated Temperatures :				
	Machine Direction	%	0.65 max	Conforms	
	Cross Machine Direction	%	1.12 max	Conforms	
9	Resistance To Scratching	N	1.75 max	Conforms	
10	Resistance To Steam	Grade	Not worse than Grade-4	Conforms	
11	Resistance To Cracking	Grade	Not worse than Grade-4	Conforms	
12	Resistance To Impact Small Ball	N	20 min	Conforms	

This product technical sheets gives technical relevant to the performance of the product as tested by the company. Company reserves the right to change Product composition & characteristics at any time.

### Product Specifications

**Product:** Paper Based Decorative Laminate Sheets

**Size:** 2440 x 1220 mm

**Finish:** Oak Wood, High Gloss, Suede Finish


**Care & Maintenance :** Cleaning should be carried out with a soft moist cloth & warm soap solution. Do not use detergents containing abrasive particle or excess soda.

### Highlight:

- Design made from genuine imported base paper.
- Manufactured using best quality kraft paper.
- Use of best chemical raw materials for better flexibility & durability.

**Disclaimer:** Customers are advised to reconfirm selected laminate when placing orders as our liability does not include claims arising from sample chip pasting error. Samples presented are indicative of color, pattern and surface finish but not of actual thicknesses. All metallic patterns series recommended for vertical application only. All products from Super Hylam Private Limited are free from manufacturing defects and fit for use under normal conditions, however the product will normally deviate from manufacturing related specification. Limited warranty shall be limited only to the original buyer. It is recommended that the products must be inspected prior to installation and our liability will be limited to the extent of the cost of the products only. Our products are used for various applications without the possibility of control over the manufacturing of the finished products. The company does not assume obligations or liabilities arising from the furnishing, sale, installation or repair, use or subsequent sale of any product, to any person or entity. Company shall not be liable for any damages due to loading and unloading of sheets or any broken corner or any damages during transit of goods. No claim will be entertained for any problem in the substrate used. Bonding of laminate under high humidity, plywood with high moisture content, plywood with uneven surface, inferior quality adhesive and insufficient pressure may lead to delamination or air bubble between laminate and substrate. Company will not entertain such damages or liabilities. Do not use nail and hammer while cutting corner, Grew, Angle, and designs. Use only drill while cutting such Corner, Grew, Angle and designs.

- Note:-
- No Complaint Will Be Entertain For Air Bubble Or Any Other Problem Due To Pasting Error Or Inferior Quality Adesive Used.
  - No Complaint Will Be Entertain For Mica Cracking.
  - Cutting a laminate sheet at an angle 90 degree leads to development of cracks in corner after pasting. Therefore It Is Advisable to avoid cutting at an angle of 90 degrees.



# WOOD WIBE



Give your ambiance an uplifting  
verve of design excellence